






Connections Detail



Pipe Centres = c3 + valve centres  
 ie: c3 + 80mm with Standard RadCen Valves




Protective aluminium oxide coating (Total Protection System)

Aluminium structure

Powder coated finish




CODE	Height (mm)	Width (mm)	Width with optional side panels (mm)	Depth (mm)	Projection (mm)	Centres (C3) (mm)	Centres (C2) (mm)	Weight (kg)	Water content (litrs)	Power (watts)
Decoral D350										
D350-03	420	300	320	80	105	320	65	3.6	1.02	384
D350-04	420	400	420	80	105	420	65	4.8	1.36	512
D350-05	420	500	520	80	105	520	65	6	1.7	640
D350-06	420	600	620	80	105	620	65	7.2	2.04	768
D350-07	420	700	720	80	105	720	65	8.4	2.38	896
D350-08	420	800	820	80	105	820	65	9.6	2.72	1024
D350-09	420	900	920	80	105	920	65	10.8	3.06	1152
D350-10	420	1000	1020	80	105	1020	65	12	3.4	1280
D350-11	420	1100	1120	80	105	1120	65	13.2	3.74	1408
D350-12	420	1200	1220	80	105	1220	65	14.4	4.08	1536
D350-13	420	1300	1320	80	105	1320	65	15.6	4.42	1664
D350-14	420	1400	1420	80	105	1420	65	16.8	4.76	1792
D350-15	420	1500	1520	80	105	1520	65	18	5.1	1920
D350-16	420	1600	1620	80	105	1620	65	19.2	5.44	2047
D350-17	420	1700	1720	80	105	1720	65	20.4	5.78	2175
D350-18	420	1800	1820	80	105	1820	65	21.6	6.12	2303
D350-19	420	1900	1920	80	105	1920	65	22.8	6.46	2431
D350-20	420	2000	2020	80	105	2020	65	24	6.8	2559



**Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG**  
**WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687**

CODE	Height (mm)	Width (mm)	Width with optional side panels (mm)	Depth (mm)	Projection (mm)	Centres (C3) (mm)	Centres (C2) (mm)	Weight (kg)	Water content (ltrs)	Power (watts)
Decoral D500										
D500-03	570	300	350	80	105	320	65	4.65	1.23	513
D500-04	570	400	450	80	105	420	65	6.2	1.64	684
D500-05	570	500	550	80	105	520	65	7.75	2.05	855
D500-06	570	600	650	80	105	620	65	9.3	2.46	1026
D500-07	570	700	750	80	105	720	65	10.85	2.87	1197
D500-08	570	800	850	80	105	820	65	12.4	3.28	1368
D500-09	570	900	950	80	105	920	65	13.95	3.69	1539
D500-10	570	1000	1050	80	105	1020	65	15.5	4.1	1710
D500-11	570	1100	1150	80	105	1120	65	17.05	4.51	1881
D500-12	570	1200	1250	80	105	1220	65	18.6	4.92	2053
D500-13	570	1300	1350	80	105	1320	65	20.15	5.33	2224
D500-14	570	1400	1450	80	105	1420	65	21.7	5.74	2395
D500-15	570	1500	1550	80	105	1520	65	23.25	6.15	2566
D500-16	570	1600	1650	80	105	1620	65	24.8	6.56	2737
D500-17	570	1700	1750	80	105	1720	65	26.35	6.97	2908
D500-18	570	1800	1850	80	105	1820	65	27.9	7.38	3079
D500-19	570	1900	1950	80	105	1920	65	29.45	7.79	3250
D500-20	570	2000	2050	80	105	2020	65	31	8.2	3421

CODE	Height (mm)	Width (mm)	Width with optional side panels (mm)	Depth (mm)	Projection (mm)	Centres (C3) (mm)	Centres (C2) (mm)	Weight (kg)	Water content (ltrs)	Power (watts)
Decoral D600										
D600-03	670	300	350	80	105	320	65	5.43	1.44	589
D600-04	670	400	450	80	105	420	65	7.24	1.92	786
D600-05	670	500	550	80	105	520	65	9.05	2.4	982
D600-06	670	600	650	80	105	620	65	10.86	2.88	1178
D600-07	670	700	750	80	105	720	65	12.67	3.36	1375
D600-08	670	800	850	80	105	820	65	14.48	3.84	1571
D600-09	670	900	950	80	105	920	65	16.29	4.32	1767
D600-10	670	1000	1050	80	105	1020	65	18.1	4.8	1964
D600-11	670	1100	1150	80	105	1120	65	19.91	5.28	2160
D600-12	670	1200	1250	80	105	1220	65	21.72	5.76	2357
D600-13	670	1300	1350	80	105	1320	65	23.53	6.24	2553
D600-14	670	1400	1450	80	105	1420	65	25.34	6.72	2749
D600-15	670	1500	1550	80	105	1520	65	27.15	7.2	2946
D600-16	670	1600	1650	80	105	1620	65	28.96	7.68	3142
D600-17	670	1700	1750	80	105	1720	65	30.77	8.16	3339
D600-18	670	1800	1850	80	105	1820	65	32.58	8.64	3535
D600-19	670	1900	1950	80	105	1920	65	34.39	9.12	3731
D600-20	670	2000	2050	80	105	2020	65	36.2	9.6	3928



**Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG**  
**WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687**

CODE	Height (mm)	Width (mm)	Width with optional side panels (mm)	Depth (mm)	Projection (mm)	Centres (C3) (mm)	Centres (C2) (mm)	Weight (kg)	Water content (litrs)	Power (watts)
Decoral D700										
D700-03	770	300	350	80	105	320	65	6.18	1.62	665
D700-04	770	400	450	80	105	420	65	8.24	2.16	887
D700-05	770	500	550	80	105	520	65	10.3	2.7	1109
D700-06	770	600	650	80	105	620	65	12.36	3.24	1330
D700-07	770	700	750	80	105	720	65	14.42	3.78	1552
D700-08	770	800	850	80	105	820	65	16.48	4.32	1774
D700-09	770	900	950	80	105	920	65	18.54	4.86	1996
D700-10	770	1000	1050	80	105	1020	65	20.6	5.4	2217
D700-11	770	1100	1150	80	105	1120	65	22.66	5.94	2439
D700-12	770	1200	1250	80	105	1220	65	24.72	6.48	2661
D700-13	770	1300	1350	80	105	1320	65	26.78	7.02	2882
D700-14	770	1400	1450	80	105	1420	65	28.84	7.56	3104
D700-15	770	1500	1550	80	105	1520	65	30.9	8.1	3326
D700-16	770	1600	1650	80	105	1620	65	32.96	8.64	3548
D700-17	770	1700	1750	80	105	1720	65	35.02	9.18	3769
D700-18	770	1800	1850	80	105	1820	65	37.08	9.72	3991
D700-19	770	1900	1950	80	105	1920	65	39.14	10.26	4213
D700-20	770	2000	2050	80	105	2020	65	41.2	10.8	4435

CODE	Height (mm)	Width (mm)	Width with optional side panels (mm)	Depth (mm)	Projection (mm)	Centres (C3) (mm)	Centres (C2) (mm)	Weight (kg)	Water content (litrs)	Power (watts)
Decoral D800										
D800-03	870	300	350	80	105	320	65	7.08	1.74	734
D800-04	870	400	450	80	105	420	65	9.44	2.32	915
D800-05	870	500	550	80	105	520	65	11.8	2.9	1223
D800-06	870	600	650	80	105	620	65	14.16	3.48	1467
D800-07	870	700	750	80	105	720	65	16.52	4.06	1712
D800-08	870	800	850	80	105	820	65	18.88	4.64	1956
D800-09	870	900	950	80	105	920	65	21.24	5.22	2201
D800-10	870	1000	1050	80	105	1020	65	23.6	5.8	2445
D800-11	870	1100	1150	80	105	1120	65	25.96	6.38	2690
D800-12	870	1200	1250	80	105	1220	65	28.32	6.96	2934
D800-13	870	1300	1350	80	105	1320	65	30.68	7.54	3179
D800-14	870	1400	1450	80	105	1420	65	33.04	8.12	3423
D800-15	870	1500	1550	80	105	1520	65	35.4	8.7	3668
D800-16	870	1600	1650	80	105	1620	65	37.76	9.28	3912
D800-17	870	1700	1750	80	105	1720	65	40.12	9.86	4157
D800-18	870	1800	1850	80	105	1820	65	42.48	10.44	4402
D800-19	870	1900	1950	80	105	1920	65	44.84	11.02	4646
D800-20	870	2000	2050	80	105	2020	65	47.2	11.6	4891