






Supplied with 4 brackets, 2 for the top and 2 for the bottom.
35mm round collectors.
26mm cross tubes.
Automatic bleed valve included with these radiators.

Pipe centres left to right = width - 36mm
Pipe centres from wall: single = 70-75mm, double = 52mm
Depth from wall: single = 107-112mm, double = 90mm

Single



Double




Pipe Centres = Width of radiator - 36mm

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------

Single Horizontal* Highlighted Models in stock now in standard white

HORSH3257W	320	571	107	107	437
HORSH5257W	520	571	107	107	699
HORSH3272W	320	721	107	107	537
HORSH4072W	400	721	107	107	670
HORSH5272W	520	721	107	107	881
HORSH6072W	600	721	107	107	1003
HORSH4097W	400	971	107	107	870
HORSH5297W	520	971	107	107	1135
HORSH6097W	600	971	107	107	1318
HORSH7297W	720	971	107	107	1633
HORSH8097W	800	971	107	107	1846
HORSH3214W	320	1471	107	107	1017
HORSH4014W	400	1471	107	107	1277
HORSH5214W	520	1471	107	107	1669
HORSH6014W	600	1471	107	107	1913
HORSH4017W	400	1771	107	107	1514
HORSH5217W	520	1771	107	107	2040
HORSH6017W	600	1771	107	107	2417
HORSH4019W	400	1971	107	107	1676
HORSH5219W	520	1971	107	107	2287


CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------

Double Horizontal* Highlighted Models in stock now in standard white

HORDH3257W	320	571	90	90	731
HORDH5257W	520	571	90	90	1168
HORDH3272W	320	721	90	90	897
HORDH4072W	400	721	90	90	1116
HORDH5272W	520	721	90	90	1468
HORDH6072W	600	721	90	90	1672
HORDH4097W	400	971	90	90	1451
HORDH5297W	520	971	90	90	1893
HORDH6097W	600	971	90	90	2198
HORDH7297W	720	971	90	90	2724
HORDH8097W	800	971	90	90	3076
HORDH3214W	320	1471	90	90	1697
HORDH4014W	400	1471	90	90	2129
HORDH5214W	520	1471	90	90	2782
HORDH6014W	600	1471	90	90	3189
HORDH4017W	400	1771	90	90	2523
HORDH5217W	520	1771	90	90	3402
HORDH6017W	600	1771	90	90	4029
HORDH4019W	400	1971	90	90	2792
HORDH5219W	520	1971	90	90	3812




[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]



Supplied with 4 brackets, 2 for the top and 2 for the bottom.
35mm round collectors.
26mm cross tubes.
Automatic bleed valve included with these radiators.


Pipe centres left to right = width of radiator plus valves
Pipe centres from wall: single = 55mm, double = 55mm
Depth from wall: single = 98mm, double = 98mm



[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------

Single Vertical* Highlighted Models in stock now in standard white

HORSV5732W	571	320	98	98	437
HORSV5752W	571	520	98	98	699
HORSV7232W	721	320	98	98	537
HORSV7240W	721	400	98	98	670
HORSV7252W	721	520	98	98	881
HORSV7260W	721	600	98	98	1003
HORSV9740W	971	400	98	98	870
HORSV9752W	971	520	98	98	1135
HORSV9760W	971	600	98	98	1318
HORSV9772W	971	720	98	98	1633
HORSV9780W	971	800	98	98	1846
HORSV1432W	1471	320	98	98	1017
HORSV1440W	1471	400	98	98	1277
HORSV1452W	1471	520	98	98	1669
HORSV1460W	1471	600	98	98	1913
HORSV1732W	1771	320	98	98	1213
HORSV1740W	1771	400	98	98	1514
HORSV1752W	1771	520	98	98	2040
HORSV1760W	1771	600	98	98	2417
HORSV1772W	1771	720	98	98	2931
HORSV1932W	1971	320	98	98	1342
HORSV1940W	1971	400	98	98	1676
HORSV1952W	1971	520	98	98	2287
HORSV1960W	1971	600	98	98	2632
HORSV1972W	1971	720	98	98	3269

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------

Double Vertical* Highlighted Models in stock now in standard white

HORDV5732W	571	320	98	98	731
HORDV5752W	571	520	98	98	1168
HORDV7232W	721	320	98	98	897
HORDV7240W	721	400	98	98	1116
HORDV7252W	721	520	98	98	1468
HORDV7260W	721	600	98	98	1672
HORDV9740W	971	400	98	98	1451
HORDV9752W	971	520	98	98	1893
HORDV9760W	971	600	98	98	2198
HORDV9772W	971	720	98	98	2724
HORDV9780W	971	800	98	98	3076
HORDV1432W	1471	320	98	98	1697
HORDV1440W	1471	400	98	98	2129
HORDV1452W	1471	520	98	98	2782
HORDV1460W	1471	600	98	98	3189
HORDV1732W	1771	320	98	98	2021
HORDV1740W	1771	400	98	98	2523
HORDV1752W	1771	520	98	98	3402
HORDV1760W	1771	600	98	98	4029
HORDV1772W	1771	720	98	98	4883
HORDV1932W	1971	320	98	98	2238
HORDV1940W	1971	400	98	98	2792
HORDV1952W	1971	520	98	98	3812
HORDV1960W	1971	600	98	98	4385
HORDV1972W	1971	720	98	98	5449