

New Exclusive Product from Radiator Centre Ltd

Exclusive **Exclusive** Exclusive : Versatile Single Convector Vertical radiators are a unique model available only to The Radiator Centre. This elegant tall model will enhance any living space in your home. The Versatile comes in almost any size and with over 30 colours available - it's a very cost effective and defiance designer radiator. If you need to heat a room and are having difficulty finding the correct heat output then look no further this model not only looks great but delivers a large heat emission per cubic centimetre ... it's very hard to beat

Many models in the standard colour are in stock now and can be delivered within 10 days..

Specifications

Delivery Details : Stocked items: 3 days (Yellow)
 10 days (Green)
 35 days (bespoke)
 Guarantee: 5 years
 Output Range: 136 - 5140W
 Stock availability: 13 models In stock

Models Available: 220
 Materials: Steel
 Standard Finish: White
 Connections: 1/2" BSP Flow from left

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------

In Stock Items:

SCV 100/280*	1000	280	62	73	544
SCV 120/140*	1200	140	62	73	313
SCV 120/280*	1200	280	62	73	625
SCV 120/420*	1200	420	62	73	938
SCV 140/280*	1400	280	62	73	720
SCV 160/210*	1600	210	62	73	600
SCV 160/280*	1600	280	62	73	800
SCV 160/490	1600	490	62	73	1394
SCV 180/210*	1800	210	62	73	654
SCV 180/280*	1800	280	62	73	880
SCV 180/350	1800	350	62	73	1100
SCV 180/420	1800	420	62	73	1309
SCV 200/140*	2000	140	62	73	476


exclusive
designer



[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
 WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687




[Versatile SCV] Single Convector Vertical *BESPOKE

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SCV 100					
SCV 100/70	1000	70	62	73	136
SCV 100/140	1000	140	62	73	272
SCV 100/210	1000	210	62	73	408
SCV 100/280	1000	280	62	73	544
SCV 100/350	1000	350	62	73	680
SCV 100/420	1000	420	62	73	816
SCV 100/490	1000	490	62	73	952
SCV 100/560	1000	560	62	73	1088
SCV 100/630	1000	630	62	73	1224
SCV 100/700	1000	700	62	73	1360
SCV 100/770	1000	770	62	73	1496
SCV 100/840	1000	840	62	73	1632
SCV 100/910	1000	910	62	73	1768
SCV 100/980	1000	980	62	73	1904
SCV 100/1050	1000	1050	62	73	2040
SCV 100/1120	1000	1120	62	73	2176
SCV 100/1190	1000	1190	62	73	2312
SCV 100/1260	1000	1260	62	73	2448
SCV 100/1330	1000	1330	62	73	2584
SCV 100/1400	1000	1400	62	73	2720

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SCV 120					
SCV 120/70	1200	70	62	73	157
SCV 120/140	1200	140	62	73	313
SCV 120/210	1200	210	62	73	471
SCV 120/280	1200	280	62	73	625
SCV 120/350	1200	350	62	73	785
SCV 120/420	1200	420	62	73	938
SCV 120/490	1200	490	62	73	1099
SCV 120/560	1200	560	62	73	1256
SCV 120/630	1200	630	62	73	1413
SCV 120/700	1200	700	62	73	1570
SCV 120/770	1200	770	62	73	1727
SCV 120/840	1200	840	62	73	1884
SCV 120/910	1200	910	62	73	2041
SCV 120/980	1200	980	62	73	2198
SCV 120/1050	1200	1050	62	73	2355
SCV 120/1120	1200	1120	62	73	2512
SCV 120/1190	1200	1190	62	73	2669
SCV 120/1260	1200	1260	62	73	2826
SCV 120/1330	1200	1330	62	73	2983
SCV 120/1400	1200	1400	62	73	3140

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SCV 140					
SCV 140/70	1400	70	62	73	180
SCV 140/140	1400	140	62	73	360
SCV 140/210	1400	210	62	73	540
SCV 140/280	1400	280	62	73	720
SCV 140/350	1400	350	62	73	900
SCV 140/420	1400	420	62	73	1080
SCV 140/490	1400	490	62	73	1260
SCV 140/560	1400	560	62	73	1440
SCV 140/630	1400	630	62	73	1620
SCV 140/700	1400	700	62	73	1800
SCV 140/770	1400	770	62	73	1980
SCV 140/840	1400	840	62	73	2160
SCV 140/910	1400	910	62	73	2340
SCV 140/980	1400	980	62	73	2520
SCV 140/1050	1400	1050	62	73	2700
SCV 140/1120	1400	1120	62	73	2880
SCV 140/1190	1400	1190	62	73	3060
SCV 140/1260	1400	1260	62	73	3240
SCV 140/1330	1400	1330	62	73	3420
SCV 140/1400	1400	1400	62	73	3600

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

[Versatile SCV] Single Convector Vertical *BESPOKE

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SCV 160					
SCV 160/70	1600	70	62	73	200
SCV 160/140	1600	140	62	73	400
SCV 160/210	1600	210	62	73	600
SCV 160/280	1600	280	62	73	800
SCV 160/350	1600	350	62	73	1000
SCV 160/420	1600	420	62	73	1200
SCV 160/490	1600	490	62	73	1394
SCV 160/560	1600	560	62	73	1600
SCV 160/630	1600	630	62	73	1800
SCV 160/700	1600	700	62	73	2000
SCV 160/770	1600	770	62	73	2200
SCV 160/840	1600	840	62	73	2400
SCV 160/910	1600	910	62	73	2600
SCV 160/980	1600	980	62	73	2800
SCV 160/1050	1600	1050	62	73	3000
SCV 160/1120	1600	1120	62	73	3200
SCV 160/1190	1600	1190	62	73	3400
SCV 160/1260	1600	1260	62	73	3600
SCV 160/1330	1600	1330	62	73	3800
SCV 160/1400	1600	1400	62	73	4000

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SCV 180					
SCV 180/70	1800	70	62	73	220
SCV 180/140	1800	140	62	73	440
SCV 180/210	1800	210	62	73	654
SCV 180/280	1800	280	62	73	880
SCV 180/350	1800	350	62	73	1100
SCV 180/420	1800	420	62	73	1309
SCV 180/490	1800	490	62	73	1540
SCV 180/560	1800	560	62	73	1760
SCV 180/630	1800	630	62	73	1980
SCV 180/700	1800	700	62	73	2200
SCV 180/770	1800	770	62	73	2420
SCV 180/840	1800	840	62	73	2640
SCV 180/910	1800	910	62	73	2860
SCV 180/980	1800	980	62	73	3080
SCV 180/1050	1800	1050	62	73	3300
SCV 180/1120	1800	1120	62	73	3520
SCV 180/1190	1800	1190	62	73	3740
SCV 180/1260	1800	1260	62	73	3960
SCV 180/1330	1800	1330	62	73	4180
SCV 180/1400	1800	1400	62	73	4400

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SCV 200					
SCV 200/70	2000	70	62	73	238
SCV 200/140	2000	140	62	73	476
SCV 200/210	2000	210	62	73	714
SCV 200/280	2000	280	62	73	952
SCV 200/350	2000	350	62	73	1190
SCV 200/420	2000	420	62	73	1428
SCV 200/490	2000	490	62	73	1666
SCV 200/560	2000	560	62	73	1904
SCV 200/630	2000	630	62	73	2142
SCV 200/700	2000	700	62	73	2380
SCV 200/770	2000	770	62	73	2618
SCV 200/840	2000	840	62	73	2856
SCV 200/910	2000	910	62	73	3094
SCV 200/980	2000	980	62	73	3332
SCV 200/1050	2000	1050	62	73	3570
SCV 200/1120	2000	1120	62	73	3808
SCV 200/1190	2000	1190	62	73	4046
SCV 200/1260	2000	1260	62	73	4284
SCV 200/1330	2000	1330	62	73	4522
SCV 200/1400	2000	1400	62	73	4760

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SCV 220					
SCV 220/70	2200	70	62	73	257
SCV 220/140	2200	140	62	73	514
SCV 220/210	2200	210	62	73	771
SCV 220/280	2200	280	62	73	1028
SCV 220/350	2200	350	62	73	1285
SCV 220/420	2200	420	62	73	1542
SCV 220/490	2200	490	62	73	1799

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SCV 220					
SCV 220/560	2200	560	62	73	2056
SCV 220/630	2200	630	62	73	2313
SCV 220/700	2200	700	62	73	2570
SCV 220/770	2200	770	62	73	2827
SCV 220/840	2200	840	62	73	3084
SCV 220/910	2200	910	62	73	3341
SCV 220/980	2200	980	62	73	3598

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SCV 220					
SCV 220/1050	2200	1050	62	73	3855
SCV 220/1120	2200	1120	62	73	4112
SCV 220/1190	2200	1190	62	73	4369
SCV 220/1260	2200	1260	62	73	4626
SCV 220/1330	2200	1330	62	73	4883
SCV 220/1400	2200	1400	62	73	5140

[Jan 2011]

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]