



New Exclusive Product from Radiator Centre Ltd

Exclusive Exclusive Exclusive : Versatile Single Panel Vertical radiators are a unique model available only to The Radiator Centre. This elegant tall model will enhance any living space in your home. The **Versatile SPV** comes in almost any size and with over 30 colours available - it's a very cost effective and defiance designer radiator. If you need to heat a room and are having difficulty finding the correct heat output then look no further this model not only looks great but delivers a large heat emission per cubic centimetre ... **it's very hard to beat**

Many models in the standard colour are **in stock now** and can be delivered in 3 days..

Specifications

- Models Available** 280
- Materials** Steel
- Standard Finish** White
- Connections** 1/2" BSP Flow from left
- Delivery Details** Stocked items: 3 working days
Bespoke items : 35 working days
- Guarantee** 5 years
- Output Range** 86 - 5420W
- Stock availability** 4 models In stock

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
------	-------------	------------	------------	-----------------	---------------

In Stock Items:

SPV100/280	1000	280	32	55	344
SPV120/350	1200	350	32	55	510
SPV160/210	1600	210	32	55	399
SPV180/280	1800	280	32	55	592



[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



[Versatile SPV] Single Panel Vertical *BESPOKE

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SPV 100					
SPV100/70	1000	70	32	55	86
SPV100/140	1000	140	32	55	172
SPV100/210	1000	210	32	55	258
SPV100/280	1000	280	32	55	344
SPV100/350	1000	350	32	55	430
SPV100/420	1000	420	32	55	516
SPV100/490	1000	490	32	55	602
SPV100/560	1000	560	32	55	688
SPV100/630	1000	630	32	55	774
SPV100/700	1000	700	32	55	860
SPV100/770	1000	770	32	55	946
SPV100/840	1000	840	32	55	1032
SPV100/910	1000	910	32	55	1118
SPV100/980	1000	980	32	55	1204
SPV100/1050	1000	1050	32	55	1290
SPV100/1120	1000	1120	32	55	1376
SPV100/1190	1000	1190	32	55	1462
SPV100/1260	1000	1260	32	55	1548
SPV100/1330	1000	1330	32	55	1634
SPV100/1400	1000	1400	32	55	1720

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SPV 120					
SPV120/70	1200	70	32	55	102
SPV120/140	1200	140	32	55	204
SPV120/210	1200	210	32	55	306
SPV120/280	1200	280	32	55	408
SPV120/350	1200	350	32	55	510
SPV120/420	1200	420	32	55	612
SPV120/490	1200	490	32	55	714
SPV120/560	1200	560	32	55	816
SPV120/630	1200	630	32	55	918
SPV120/700	1200	700	32	55	1020
SPV120/770	1200	770	32	55	1122
SPV120/840	1200	840	32	55	1224
SPV120/910	1200	910	32	55	1326
SPV120/980	1200	980	32	55	1428
SPV120/1050	1200	1050	32	55	1530
SPV120/1120	1200	1120	32	55	1632
SPV120/1190	1200	1190	32	55	1734
SPV120/1260	1200	1260	32	55	1836
SPV120/1330	1200	1330	32	55	1938
SPV120/1400	1200	1400	32	55	2040

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SPV 140					
SPV140/70	1400	70	32	55	117
SPV140/140	1400	140	32	55	234
SPV140/210	1400	210	32	55	351
SPV140/280	1400	280	32	55	468
SPV140/350	1400	350	32	55	585
SPV140/420	1400	420	32	55	702
SPV140/490	1400	490	32	55	819
SPV140/560	1400	560	32	55	936
SPV140/630	1400	630	32	55	1053
SPV140/700	1400	700	32	55	1170
SPV140/770	1400	770	32	55	1287
SPV140/840	1400	840	32	55	1404
SPV140/910	1400	910	32	55	1521
SPV140/980	1400	980	32	55	1638
SPV140/1050	1400	1050	32	55	1755
SPV140/1120	1400	1120	32	55	1872
SPV140/1190	1400	1190	32	55	1989
SPV140/1260	1400	1260	32	55	2106
SPV140/1330	1400	1330	32	55	2223
SPV140/1400	1400	1400	32	55	2340

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
 WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

[Versatile SPV] Single Panel Vertical *BESPOKE

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SPV 160					
SPV160/70	1600	70	32	55	133
SPV160/140	1600	140	32	55	266
SPV160/210	1600	210	32	55	399
SPV160/280	1600	280	32	55	399
SPV160/350	1600	350	32	55	665
SPV160/420	1600	420	32	55	798
SPV160/490	1600	490	32	55	931
SPV160/560	1600	560	32	55	1064
SPV160/630	1600	630	32	55	1197
SPV160/700	1600	700	32	55	1330
SPV160/770	1600	770	32	55	1463
SPV160/840	1600	840	32	55	1596
SPV160/910	1600	910	32	55	1729
SPV160/980	1600	980	32	55	1862
SPV160/1050	1600	1050	32	55	1995
SPV160/1120	1600	1120	32	55	2128
SPV160/1190	1600	1190	32	55	2261
SPV160/1260	1600	1260	32	55	2394
SPV160/1330	1600	1330	32	55	2527
SPV160/1400	1600	1400	32	55	2660

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SPV 180					
SPV180/70	1800	70	32	55	148
SPV180/140	1800	140	32	55	296
SPV180/210	1800	210	32	55	444
SPV180/280	1800	280	32	55	592
SPV180/350	1800	350	32	55	740
SPV180/420	1800	420	32	55	888
SPV180/490	1800	490	32	55	1036
SPV180/560	1800	560	32	55	1184
SPV180/630	1800	630	32	55	1332
SPV180/700	1800	700	32	55	1480
SPV180/770	1800	770	32	55	1628
SPV180/840	1800	840	32	55	1776
SPV180/910	1800	910	32	55	1924
SPV180/980	1800	980	32	55	2072
SPV180/1050	1800	1050	32	55	2220
SPV180/1120	1800	1120	32	55	2368
SPV180/1190	1800	1190	32	55	2516
SPV180/1260	1800	1260	32	55	2664
SPV180/1330	1800	1330	32	55	2812
SPV180/1400	1800	1400	32	55	2960

CODE	Height (mm)	Width (mm)	Depth (mm)	Project on (mm)	Power (watts)
SPV 200					
SPV200/70	2000	70	32	55	162
SPV200/140	2000	140	32	55	324
SPV200/210	2000	210	32	55	486
SPV200/280	2000	280	32	55	648
SPV200/350	2000	350	32	55	810
SPV200/420	2000	420	32	55	972
SPV200/490	2000	490	32	55	1134
SPV200/560	2000	560	32	55	1296
SPV200/630	2000	630	32	55	1458
SPV200/700	2000	700	32	55	1620
SPV200/770	2000	770	32	55	1782
SPV200/840	2000	840	32	55	1944
SPV200/910	2000	910	32	55	2106
SPV200/980	2000	980	32	55	2268
SPV200/1050	2000	1050	32	55	2430
SPV200/1120	2000	1120	32	55	2592
SPV200/1190	2000	1190	32	55	2754
SPV200/1260	2000	1260	32	55	2916
SPV200/1330	2000	1330	32	55	3078
SPV200/1400	2000	1400	32	55	3240

[Versatile SPV] Single Panel Vertical *BESPOKE



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
WWW.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 220					
SPV220/70	2200	70	32	55	176
SPV220/140	2200	140	32	55	352
SPV220/210	2200	210	32	55	528
SPV220/280	2200	280	32	55	704
SPV220/350	2200	350	32	55	880
SPV220/420	2200	420	32	55	1056
SPV220/490	2200	490	32	55	1232
SPV220/560	2200	560	32	55	1408
SPV220/630	2200	630	32	55	1584
SPV220/700	2200	700	32	55	1760
SPV220/770	2200	770	32	55	1936
SPV220/840	2200	840	32	55	2112
SPV220/910	2200	910	32	55	2288
SPV220/980	2200	980	32	55	2464
SPV220/1050	2200	1050	32	55	2640
SPV220/1120	2200	1120	32	55	2816
SPV220/1190	2200	1190	32	55	2992
SPV220/1260	2200	1260	32	55	3168
SPV220/1330	2200	1330	32	55	3344
SPV220/1400	2200	1400	32	55	3520

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 240					
SPV240/70	2400	70	32	55	190
SPV240/140	2400	140	32	55	380
SPV240/210	2400	210	32	55	570
SPV240/280	2400	280	32	55	760
SPV240/350	2400	350	32	55	950
SPV240/420	2400	420	32	55	1140
SPV240/490	2400	490	32	55	1330
SPV240/560	2400	560	32	55	1520
SPV240/630	2400	630	32	55	1710
SPV240/700	2400	700	32	55	1900
SPV240/770	2400	770	32	55	2090
SPV240/840	2400	840	32	55	2280
SPV240/910	2400	910	32	55	2470
SPV240/980	2400	980	32	55	2660
SPV240/1050	2400	1050	32	55	2850
SPV240/1120	2400	1120	32	55	3040
SPV240/1190	2400	1190	32	55	3230
SPV240/1260	2400	1260	32	55	3420
SPV240/1330	2400	1330	32	55	3610
SPV240/1400	2400	1400	32	55	3800

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 260					
SPV260/70	2600	70	32	55	204
SPV260/140	2600	140	32	55	408
SPV260/210	2600	210	32	55	612
SPV260/280	2600	280	32	55	816
SPV260/350	2600	350	32	55	1020
SPV260/420	2600	420	32	55	1224
SPV260/490	2600	490	32	55	1428
SPV260/560	2600	560	32	55	1632
SPV260/630	2600	630	32	55	1836
SPV260/700	2600	700	32	55	2040
SPV260/770	2600	770	32	55	2244
SPV260/840	2600	840	32	55	2448
SPV260/910	2600	910	32	55	2652
SPV260/980	2600	980	32	55	2856
SPV260/1050	2600	1050	32	55	3060
SPV260/1120	2600	1120	32	55	3264
SPV260/1190	2600	1190	32	55	3468
SPV260/1260	2600	1260	32	55	3672
SPV260/1330	2600	1330	32	55	3876
SPV260/1400	2600	1400	32	55	4080

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 280					
SPV280/70	2800	70	32	55	218
SPV280/140	2800	140	32	55	436
SPV280/210	2800	210	32	55	654
SPV280/280	2800	280	32	55	872
SPV280/350	2800	350	32	55	1090
SPV280/420	2800	420	32	55	1308
SPV280/490	2800	490	32	55	1526

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 280					
SPV280/560	2800	560	32	55	1744
SPV280/630	2800	630	32	55	1962
SPV280/700	2800	700	32	55	2180
SPV280/770	2800	770	32	55	2398
SPV280/840	2800	840	32	55	2616
SPV280/910	2800	910	32	55	2834
SPV280/980	2800	980	32	55	3052

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 280					
SPV280/1050	2800	1050	32	55	3270
SPV280/1120	2800	1120	32	55	3488
SPV280/1190	2800	1190	32	55	3706
SPV280/1260	2800	1260	32	55	3924
SPV280/1330	2800	1330	32	55	4142
SPV280/1400	2800	1400	32	55	4360

[Jan 2011]

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
 www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

[Versatile SPV] Single Panel Vertical *BESPOKE

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 300					
SPV300/70	3000	70	32	55	231
SPV300/140	3000	140	32	55	462
SPV300/210	3000	210	32	55	493
SPV300/280	3000	280	32	55	924
SPV300/350	3000	350	32	55	1155
SPV300/420	3000	420	32	55	1386
SPV300/490	3000	490	32	55	1617
SPV300/560	3000	560	32	55	1848
SPV300/630	3000	630	32	55	2079
SPV300/700	3000	700	32	55	2310
SPV300/770	3000	770	32	55	2541
SPV300/840	3000	840	32	55	2772
SPV300/910	3000	910	32	55	3003
SPV300/980	3000	980	32	55	3234
SPV300/1050	3000	1050	32	55	3465
SPV300/1120	3000	1120	32	55	3696
SPV300/1190	3000	1190	32	55	3927
SPV300/1260	3000	1260	32	55	4158
SPV300/1330	3000	1330	32	55	4389
SPV300/1400	3000	1400	32	55	4620

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 360					
SPV360/70	3600	70	32	55	271
SPV360/140	3600	140	32	55	542
SPV360/210	3600	210	32	55	813
SPV360/280	3600	280	32	55	1084
SPV360/350	3600	350	32	55	1355
SPV360/420	3600	420	32	55	1626
SPV360/490	3600	490	32	55	1897

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 320					
SPV320/70	3200	70	32	55	245
SPV320/140	3200	140	32	55	490
SPV320/210	3200	210	32	55	735
SPV320/280	3200	280	32	55	980
SPV320/350	3200	350	32	55	1225
SPV320/420	3200	420	32	55	1470
SPV320/490	3200	490	32	55	1715
SPV320/560	3200	560	32	55	1960
SPV320/630	3200	630	32	55	2205
SPV320/700	3200	700	32	55	2450
SPV320/770	3200	770	32	55	2695
SPV320/840	3200	840	32	55	2940
SPV320/910	3200	910	32	55	3185
SPV320/980	3200	980	32	55	3430
SPV320/1050	3200	1050	32	55	3675
SPV320/1120	3200	1120	32	55	3920
SPV320/1190	3200	1190	32	55	4165
SPV320/1260	3200	1260	32	55	4410
SPV320/1330	3200	1330	32	55	4655
SPV320/1400	3200	1400	32	55	4900

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 360					
SPV360/70	3600	70	32	55	271
SPV360/140	3600	140	32	55	542
SPV360/210	3600	210	32	55	813
SPV360/280	3600	280	32	55	1084
SPV360/350	3600	350	32	55	1355
SPV360/420	3600	420	32	55	1626
SPV360/490	3600	490	32	55	1897

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 340					
SPV340/70	3400	70	32	55	259
SPV340/140	3400	140	32	55	518
SPV340/210	3400	210	32	55	777
SPV340/280	3400	280	32	55	1036
SPV340/350	3400	350	32	55	1295
SPV340/420	3400	420	32	55	1554
SPV340/490	3400	490	32	55	1813
SPV340/560	3400	560	32	55	2072
SPV340/630	3400	630	32	55	2331
SPV340/700	3400	700	32	55	2590
SPV340/770	3400	770	32	55	2849
SPV340/840	3400	840	32	55	3108
SPV340/910	3400	910	32	55	3367
SPV340/980	3400	980	32	55	3626
SPV340/1050	3400	1050	32	55	3885
SPV340/1120	3400	1120	32	55	4144
SPV340/1190	3400	1190	32	55	4403
SPV340/1260	3400	1260	32	55	4662
SPV340/1330	3400	1330	32	55	4921
SPV340/1400	3400	1400	32	55	5180

CODE	Height (mm)	Width (mm)	Depth (mm)	Projecti on (mm)	Power (watts)
SPV 360					
SPV360/1050	3600	1050	32	55	4065
SPV360/1120	3600	1120	32	55	4336
SPV360/1190	3600	1190	32	55	4607
SPV360/1260	3600	1260	32	55	4878
SPV360/1330	3600	1330	32	55	5149
SPV360/1400	3600	1400	32	55	5420

[Jan 2011]

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]