

Exclusive Radiators

[Versatile SPV]

New Exclusive Product from Radiator Centre Ltd

Exclusive *Exclusive* Exclusive : The Versatile Single Panel Vertical is a unique model available only to The Radiator Centre. This elegant tall model will enhance any living space in your home. The Versatile comes in almost any size and with over 30 colours available - it's a very cost effective and defiance designer radiator. If you need to heat a room and are having difficulty finding the correct heat output then look no further this model not only looks great but delivers a large heat emission per cubic centimetre ... it's very hard to beat Many models in the standard colour are in stock now and can be delivered within 10 days. Alternatively you can collect this model direct from our warehouse. Other models listed are in stock now and special bespoke orders and colours are available in only 5 weeks. Please note the flow is on the left

Specifications

Models Available	280
Materials	Steel
Standard Finish	White
Connections	2 x 1/2" BSP connections
Pipe Centres	Width of radiator + valves
Delivery Details	Standard colour: < 10 Days
Delivery Charge	£15.00 per Radiator
Guarantee	5 years
Output Range	86 - 5420W
Stock availability	8 models in stock




2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com





[Versatile SPV]

DIMENSIONAL DATA



FIXING POSITIONS



radiator centre ltd
radiatorcentre.com
2 Grand Parade Polegate East Sussex BN26 5HG
Telephone: +44 (0)1323 486848
info@radiatorcentre.com www.radiatorcentre.com

[Dimensions in millimetres]

Exclusive Radiators

[Versatile SPV]


CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
In Stock Items:					
SPV100/280	1000	280	32	55	344
SPV120/350	1200	350	32	55	510
SPV160/210	1600	210	32	55	399
SPV180/280	1800	280	32	55	592

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPV 100					
SPV100/70	1000	70	32	55	86
SPV100/140	1000	140	32	55	172
SPV100/210	1000	210	32	55	258
SPV100/280	1000	280	32	55	344
SPV100/350	1000	350	32	55	430
SPV100/420	1000	420	32	55	516
SPV100/490	1000	490	32	55	602
SPV100/560	1000	560	32	55	688
SPV100/630	1000	630	32	55	774
SPV100/700	1000	700	32	55	860
SPV100/770	1000	770	32	55	946
SPV100/840	1000	840	32	55	1032
SPV100/910	1000	910	32	55	1118
SPV100/980	1000	980	32	55	1204
SPV100/1050	1000	1050	32	55	1290
SPV100/1120	1000	1120	32	55	1376
SPV100/1190	1000	1190	32	55	1462
SPV100/1260	1000	1260	32	55	1548
SPV100/1330	1000	1330	32	55	1634
SPV100/1400	1000	1400	32	55	1720

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPV 120					
SPV120/70	1200	70	32	55	102
SPV120/140	1200	140	32	55	204
SPV120/210	1200	210	32	55	306
SPV120/280	1200	280	32	55	408
SPV120/350	1200	350	32	55	510
SPV120/420	1200	420	32	55	612
SPV120/490	1200	490	32	55	714
SPV120/560	1200	560	32	55	816
SPV120/630	1200	630	32	55	918
SPV120/700	1200	700	32	55	1020
SPV120/770	1200	770	32	55	1122
SPV120/840	1200	840	32	55	1224
SPV120/910	1200	910	32	55	1326
SPV120/980	1200	980	32	55	1428
SPV120/1050	1200	1050	32	55	1530
SPV120/1120	1200	1120	32	55	1632
SPV120/1190	1200	1190	32	55	1734
SPV120/1260	1200	1260	32	55	1836
SPV120/1330	1200	1330	32	55	1938
SPV120/1400	1200	1400	32	55	2040



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com



[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPV]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPV 140						SPV 160						SPV 180					
SPV140/70	1400	70	32	55	117	SPV160/70	1600	70	32	55	133	SPV180/70	1800	70	32	55	148
SPV140/140	1400	140	32	55	234	SPV160/140	1600	140	32	55	266	SPV180/140	1800	140	32	55	296
SPV140/210	1400	210	32	55	351	SPV160/210	1600	210	32	55	399	SPV180/210	1800	210	32	55	444
SPV140/280	1400	280	32	55	468	SPV160/280	1600	280	32	55	399	SPV180/280	1800	280	32	55	592
SPV140/350	1400	350	32	55	585	SPV160/350	1600	350	32	55	665	SPV180/350	1800	350	32	55	740
SPV140/420	1400	420	32	55	702	SPV160/420	1600	420	32	55	798	SPV180/420	1800	420	32	55	888
SPV140/490	1400	490	32	55	819	SPV160/490	1600	490	32	55	931	SPV180/490	1800	490	32	55	1036
SPV140/560	1400	560	32	55	936	SPV160/560	1600	560	32	55	1064	SPV180/560	1800	560	32	55	1184
SPV140/630	1400	630	32	55	1053	SPV160/630	1600	630	32	55	1197	SPV180/630	1800	630	32	55	1332
SPV140/700	1400	700	32	55	1170	SPV160/700	1600	700	32	55	1330	SPV180/700	1800	700	32	55	1480
SPV140/770	1400	770	32	55	1287	SPV160/770	1600	770	32	55	1463	SPV180/770	1800	770	32	55	1628
SPV140/840	1400	840	32	55	1404	SPV160/840	1600	840	32	55	1596	SPV180/840	1800	840	32	55	1776
SPV140/910	1400	910	32	55	1521	SPV160/910	1600	910	32	55	1729	SPV180/910	1800	910	32	55	1924
SPV140/980	1400	980	32	55	1638	SPV160/980	1600	980	32	55	1862	SPV180/980	1800	980	32	55	2072
SPV140/1050	1400	1050	32	55	1755	SPV160/1050	1600	1050	32	55	1995	SPV180/1050	1800	1050	32	55	2220
SPV140/1120	1400	1120	32	55	1872	SPV160/1120	1600	1120	32	55	2128	SPV180/1120	1800	1120	32	55	2368
SPV140/1190	1400	1190	32	55	1989	SPV160/1190	1600	1190	32	55	2261	SPV180/1190	1800	1190	32	55	2516
SPV140/1260	1400	1260	32	55	2106	SPV160/1260	1600	1260	32	55	2394	SPV180/1260	1800	1260	32	55	2664
SPV140/1330	1400	1330	32	55	2223	SPV160/1330	1600	1330	32	55	2527	SPV180/1330	1800	1330	32	55	2812
SPV140/1400	1400	1400	32	55	2340	SPV160/1400	1600	1400	32	55	2660	SPV180/1400	1800	1400	32	55	2960



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]


Exclusive Radiators

[Versatile SPV]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPV 200						SPV 220						SPV 240					
SPV200/70	2000	70	32	55	162	SPV220/70	2200	70	32	55	176	SPV240/70	2400	70	32	55	190
SPV200/140	2000	140	32	55	324	SPV220/140	2200	140	32	55	352	SPV240/140	2400	140	32	55	380
SPV200/210	2000	210	32	55	486	SPV220/210	2200	210	32	55	528	SPV240/210	2400	210	32	55	570
SPV200/280	2000	280	32	55	648	SPV220/280	2200	280	32	55	704	SPV240/280	2400	280	32	55	760
SPV200/350	2000	350	32	55	810	SPV220/350	2200	350	32	55	880	SPV240/350	2400	350	32	55	950
SPV200/420	2000	420	32	55	972	SPV220/420	2200	420	32	55	1056	SPV240/420	2400	420	32	55	1140
SPV200/490	2000	490	32	55	1134	SPV220/490	2200	490	32	55	1232	SPV240/490	2400	490	32	55	1330
SPV200/560	2000	560	32	55	1296	SPV220/560	2200	560	32	55	1408	SPV240/560	2400	560	32	55	1520
SPV200/630	2000	630	32	55	1458	SPV220/630	2200	630	32	55	1584	SPV240/630	2400	630	32	55	1710
SPV200/700	2000	700	32	55	1620	SPV220/700	2200	700	32	55	1760	SPV240/700	2400	700	32	55	1900
SPV200/770	2000	770	32	55	1782	SPV220/770	2200	770	32	55	1936	SPV240/770	2400	770	32	55	2090
SPV200/840	2000	840	32	55	1944	SPV220/840	2200	840	32	55	2112	SPV240/840	2400	840	32	55	2280
SPV200/910	2000	910	32	55	2106	SPV220/910	2200	910	32	55	2288	SPV240/910	2400	910	32	55	2470
SPV200/980	2000	980	32	55	2268	SPV220/980	2200	980	32	55	2464	SPV240/980	2400	980	32	55	2660
SPV200/1050	2000	1050	32	55	2430	SPV220/1050	2200	1050	32	55	2640	SPV240/1050	2400	1050	32	55	2850
SPV200/1120	2000	1120	32	55	2592	SPV220/1120	2200	1120	32	55	2816	SPV240/1120	2400	1120	32	55	3040
SPV200/1190	2000	1190	32	55	2754	SPV220/1190	2200	1190	32	55	2992	SPV240/1190	2400	1190	32	55	3230
SPV200/1260	2000	1260	32	55	2916	SPV220/1260	2200	1260	32	55	3168	SPV240/1260	2400	1260	32	55	3420
SPV200/1330	2000	1330	32	55	3078	SPV220/1330	2200	1330	32	55	3344	SPV240/1330	2400	1330	32	55	3610
SPV200/1400	2000	1400	32	55	3240	SPV220/1400	2200	1400	32	55	3520	SPV240/1400	2400	1400	32	55	3800



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com



[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPV]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPV 260						SPV 280						SPV 300					
SPV260/70	2600	70	32	55	204	SPV280/70	2800	70	32	55	218	SPV300/70	3000	70	32	55	231
SPV260/140	2600	140	32	55	408	SPV280/140	2800	140	32	55	436	SPV300/140	3000	140	32	55	462
SPV260/210	2600	210	32	55	612	SPV280/210	2800	210	32	55	654	SPV300/210	3000	210	32	55	493
SPV260/280	2600	280	32	55	816	SPV280/280	2800	280	32	55	872	SPV300/280	3000	280	32	55	924
SPV260/350	2600	350	32	55	1020	SPV280/350	2800	350	32	55	1090	SPV300/350	3000	350	32	55	1155
SPV260/420	2600	420	32	55	1224	SPV280/420	2800	420	32	55	1308	SPV300/420	3000	420	32	55	1386
SPV260/490	2600	490	32	55	1428	SPV280/490	2800	490	32	55	1526	SPV300/490	3000	490	32	55	1617
SPV260/560	2600	560	32	55	1632	SPV280/560	2800	560	32	55	1744	SPV300/560	3000	560	32	55	1848
SPV260/630	2600	630	32	55	1836	SPV280/630	2800	630	32	55	1962	SPV300/630	3000	630	32	55	2079
SPV260/700	2600	700	32	55	2040	SPV280/700	2800	700	32	55	2180	SPV300/700	3000	700	32	55	2310
SPV260/770	2600	770	32	55	2244	SPV280/770	2800	770	32	55	2398	SPV300/770	3000	770	32	55	2541
SPV260/840	2600	840	32	55	2448	SPV280/840	2800	840	32	55	2616	SPV300/840	3000	840	32	55	2772
SPV260/910	2600	910	32	55	2652	SPV280/910	2800	910	32	55	2834	SPV300/910	3000	910	32	55	3003
SPV260/980	2600	980	32	55	2856	SPV280/980	2800	980	32	55	3052	SPV300/980	3000	980	32	55	3234
SPV260/1050	2600	1050	32	55	3060	SPV280/1050	2800	1050	32	55	3270	SPV300/1050	3000	1050	32	55	3465
SPV260/1120	2600	1120	32	55	3264	SPV280/1120	2800	1120	32	55	3488	SPV300/1120	3000	1120	32	55	3696
SPV260/1190	2600	1190	32	55	3468	SPV280/1190	2800	1190	32	55	3706	SPV300/1190	3000	1190	32	55	3927
SPV260/1260	2600	1260	32	55	3672	SPV280/1260	2800	1260	32	55	3924	SPV300/1260	3000	1260	32	55	4158
SPV260/1330	2600	1330	32	55	3876	SPV280/1330	2800	1330	32	55	4142	SPV300/1330	3000	1330	32	55	4389
SPV260/1400	2600	1400	32	55	4080	SPV280/1400	2800	1400	32	55	4360	SPV300/1400	3000	1400	32	55	4620



2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]

Exclusive Radiators

[Versatile SPV]

CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)	CODE	Height (mm)	Width (mm)	Depth (mm)	Projection (mm)	Power (watts)
SPV 320						SPV 340						SPV 360					
SPV320/70	3200	70	32	55	245	SPV340/70	3400	70	32	55	259	SPV360/70	3600	70	32	55	271
SPV320/140	3200	140	32	55	490	SPV340/140	3400	140	32	55	518	SPV360/140	3600	140	32	55	542
SPV320/210	3200	210	32	55	735	SPV340/210	3400	210	32	55	777	SPV360/210	3600	210	32	55	813
SPV320/280	3200	280	32	55	980	SPV340/280	3400	280	32	55	1036	SPV360/280	3600	280	32	55	1084
SPV320/350	3200	350	32	55	1225	SPV340/350	3400	350	32	55	1295	SPV360/350	3600	350	32	55	1355
SPV320/420	3200	420	32	55	1470	SPV340/420	3400	420	32	55	1554	SPV360/420	3600	420	32	55	1626
SPV320/490	3200	490	32	55	1715	SPV340/490	3400	490	32	55	1813	SPV360/490	3600	490	32	55	1897
SPV320/560	3200	560	32	55	1960	SPV340/560	3400	560	32	55	2072	SPV360/560	3600	560	32	55	2168
SPV320/630	3200	630	32	55	2205	SPV340/630	3400	630	32	55	2331	SPV360/630	3600	630	32	55	2439
SPV320/700	3200	700	32	55	2450	SPV340/700	3400	700	32	55	2590	SPV360/700	3600	700	32	55	2710
SPV320/770	3200	770	32	55	2695	SPV340/770	3400	770	32	55	2849	SPV360/770	3600	770	32	55	2981
SPV320/840	3200	840	32	55	2940	SPV340/840	3400	840	32	55	3108	SPV360/840	3600	840	32	55	3252
SPV320/910	3200	910	32	55	3185	SPV340/910	3400	910	32	55	3367	SPV360/910	3600	910	32	55	3523
SPV320/980	3200	980	32	55	3430	SPV340/980	3400	980	32	55	3626	SPV360/980	3600	980	32	55	3794
SPV320/1050	3200	1050	32	55	3675	SPV340/1050	3400	1050	32	55	3885	SPV360/1050	3600	1050	32	55	4065
SPV320/1120	3200	1120	32	55	3920	SPV340/1120	3400	1120	32	55	4144	SPV360/1120	3600	1120	32	55	4336
SPV320/1190	3200	1190	32	55	4165	SPV340/1190	3400	1190	32	55	4403	SPV360/1190	3600	1190	32	55	4607
SPV320/1260	3200	1260	32	55	4410	SPV340/1260	3400	1260	32	55	4662	SPV360/1260	3600	1260	32	55	4878
SPV320/1330	3200	1330	32	55	4655	SPV340/1330	3400	1330	32	55	4921	SPV360/1330	3600	1330	32	55	5149
SPV320/1400	3200	1400	32	55	4900	SPV340/1400	3400	1400	32	55	5180	SPV360/1400	3600	1400	32	55	5420



radiator centre ltd
 radiatorcentre.com
 2 Grand Parade Polegate East Sussex BN26 5HG
 Telephone: +44 (0)1323 486848
 info@radiatorcentre.com www.radiatorcentre.com

[Outputs: 90/70/20 Δt 60°C EN442]