



Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
 www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687

Centurion For period properties and traditional furnishing styles, the new Centurion cast iron column radiator exclusive to the Radiator Centre Ltd is the perfect heat emitter. Its scrolled relief patterns and Victorian looks transform the Centurion from humble radiator to a stunning reproduction centrepiece. This free standing model is supplied in sections to suit required outputs and is finished in an attractive umber grey or black primer, although it can also be painted. We supply these models in standard configurations of: 3 to 30 sections in 470/570/670mm heights and 3 to 15 sections in 750/950mm heights. Bespoke lengths can be made (from 15 sections upwards) and details for these configurations are available upon request. Please note that these models are supplied from the Radiator Centre Ltd in a Grey or Black primer finish as standard.

Specifications

- Models Available 65
- Materials Cast Iron
- Standard Finish Primer Finish : Grey / Black primer
- Connections 1/2" BSP
- Delivery Details Stock items : 10-15 working days
750 / 950 h, Delivery times may vary
- Guarantee 10 years
- Output Range 548 - 3468 W
- Stock availability All Sections in stock, then assembled to size

exclusive
TRADITIONAL


106.0 - 231.0 watts per section
90/70/20 Δt 60°C EN442

Single Section Specification

MODEL	HEIGHT	WIDTH	DEPTH	OUTPUT /
CEN 470	470mm	78mm	250mm	106 watts
CEN 570	570mm	78mm	250mm	123 watts
CEN 670	670mm	78mm	250mm	146 watts
CEN 750	750mm	78mm	250mm	182 watts
CEN 950	950mm	78mm	250mm	231 watts

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]




CODE	Height (mm)	Width (mm)	Depth (mm)	Sections (no)	Power (watts)
470/3 sections	470	270	250	3	320
470/4 sections	470	349	250	4	426
470/5 sections	470	428	250	5	533
470/6 sections	470	507	250	6	639
470/7 sections	470	586	250	7	746
470/8 sections	470	665	250	8	852
470/9 sections	470	744	250	9	959
470/10 sections	470	823	250	10	1065
470/11 sections	470	902	250	11	1172
470/12 sections	470	981	250	12	1278
470/13 sections	470	1060	250	13	1385
470/14 sections	470	1139	250	14	1491
470/15 sections	470	1218	250	15	1598

CODE	Height (mm)	Width (mm)	Depth (mm)	Sections (no)	Power (watts)
570/3 sections	570	270	250	3	371
570/4 sections	570	349	250	4	494
570/5 sections	570	428	250	5	618
570/6 sections	570	507	250	6	741
570/7 sections	570	586	250	7	865
570/8 sections	570	665	250	8	988
570/9 sections	570	744	250	9	1112
570/10 sections	570	823	250	10	1235
570/11 sections	570	902	250	11	1359
570/12 sections	570	981	250	12	1482
570/13 sections	570	1060	250	13	1606
570/14 sections	570	1139	250	14	1729
570/15 sections	570	1218	250	15	1853

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687




CODE	Height (mm)	Width (mm)	Depth (mm)	Sections (no)	Power (watts)
670/3 sections	670	270	250	3	439
670/4 sections	670	349	250	4	585
670/5 sections	670	428	250	5	731
670/6 sections	670	507	250	6	878
670/7 sections	670	586	250	7	1024
670/8 sections	670	665	250	8	1170
670/9 Sections	670	744	250	9	1316
670/10 sections	670	823	250	10	1463
670/11 sections	670	902	250	11	1609
670/12 sections	670	981	250	12	1755
670/13 sections	670	1060	250	13	1901
670/14 sections	670	1139	250	14	2048
670/15 sections	670	1218	250	15	2194

CODE	Height (mm)	Width (mm)	Depth (mm)	Sections (no)	Power (watts)
750/3 sections	750	258	250	3	548
750/4 sections	750	336	250	4	730
750/5 sections	750	414	250	5	913
750/6 sections	750	492	250	6	1095
750/7 sections	750	570	250	7	1278
750/8 sections	750	648	250	8	1460
750/9 sections	750	726	250	9	1643
750/10 sections	750	804	250	10	1825
750/11 sections	750	882	250	11	2007
750/12 sections	750	960	250	12	2190
750/13 sections	750	1038	250	13	2373
750/14 sections	750	1116	250	14	2555
750/15 sections	750	1194	250	15	2736

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



CODE	Height (mm)	Width (mm)	Depth (mm)	Sections (no)	Power (watts)
PLEASE NOTE : SPECIAL ORDER : Standard model supplied in Umber Grey Primer RAL 7022: 10 -20 working days Colours: 6-8 weeks					
950/3 sections	950	258	250	3	694
950/4 sections	950	336	250	4	925
950/5 sections	950	414	250	5	1156
950/6 sections	950	492	250	6	1387
950/7 sections	950	570	250	7	1618
950/8 sections	950	648	250	8	1850
950/9 sections	950	726	250	9	2080
950/10 sections	950	804	250	10	2312
950/11 sections	950	882	250	11	2543
950/12 sections	950	960	250	12	2775
950/13 sections	950	1038	250	13	3006
950/14 sections	950	1116	250	14	3247
950/15 sections	950	1194	250	15	3468

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687