



3.Column Victorian Cast Iron Radiators

The classic simplicity of the Victorian times, the three column cast iron radiator combines the elegance of a bygone era with the importance of high efficient space heating. The Victorian 3, a three column cast iron radiator will blend with either traditional or contemporary setting and yet is a perfect heat transmitter. This radiator is available in three heights and can be supplied with the traditional wheelhead and lockshield valve set or the crosshead angled valve set to complete the authentic period finish

This model is supplied in ready to paint primer leaving you to decide the final colour. Alternatively we can supply fully painted and finished models calibrated to over 200 RAL colour standards. We have listed the 3 available heights along with 3-30 sections configurations however the Victorian 3 can be extended to include as many sections as you require.

Specifications


Models Available	84
Materials	Cast Iron
Standard Finish	Primer Finish : Matt Black primer
Connections	1/2" BSP
Delivery Details	Stock items : 10-15 working days
Guarantee	10 years
Output Range	276 - 4501W
Stock availability	All Sections in stock, then assembled to size



[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687




CODE	Height (mm)	Depth (mm)	Width (mm)	Sections (no)	Power (watts)
450/3 sections	450	120	213	3	276
450/4 sections	450	120	274	4	368
450/5 sections	450	120	335	5	460
450/6 sections	450	120	396	6	552
450/7 sections	450	120	457	7	644
450/8 sections	450	120	518	8	736
450/9 sections	450	120	579	9	828
450/10 sections	450	120	640	10	923
450/11 sections	450	120	701	11	1015
450/12 sections	450	120	762	12	1108
450/13 sections	450	120	823	13	1199
450/14 sections	450	120	884	14	1291
450/15 sections	450	120	945	15	1383
450/16 sections	450	120	1006	16	1477
450/17 sections	450	120	1067	17	1569
450/18 sections	450	120	1128	18	1661
450/19 sections	450	120	1189	19	1753
450/20 sections	450	120	1250	20	1845
450/21 sections	450	120	1311	21	1937
450/22 sections	450	120	1372	22	2029
450/23 sections	450	120	1433	23	2121
450/24 sections	450	120	1494	24	2213
450/25 sections	450	120	1555	25	2305
450/26 sections	450	120	1616	26	2397
450/27 sections	450	120	1677	27	2489
450/28 sections	450	120	1738	28	2581
450/29 sections	450	120	1799	29	2673
450/30 sections	450	120	1860	30	2765

CODE	Height (mm)	Depth (mm)	Width (mm)	Sections (no)	Power (watts)
650/3 sections	650	120	213	3	399
650/4 sections	650	120	274	4	532
650/5 sections	650	120	335	5	665
650/6 sections	650	120	396	6	798
650/7 sections	650	120	457	7	931
650/8 sections	650	120	518	8	1064
650/9 sections	650	120	579	9	1198
650/10 sections	650	120	640	10	1331
650/11 sections	650	120	701	11	1464
650/12 sections	650	120	762	12	1597
650/13 sections	650	120	823	13	1730
650/14 sections	650	120	884	14	1863
650/15 sections	650	120	945	15	1996
650/16 sections	650	120	1006	16	2129
650/17 sections	650	120	1067	17	2262
650/18 sections	650	120	1128	18	2395
650/19 sections	650	120	1189	19	2528
650/20 sections	650	120	1250	20	2661
650/21 sections	650	120	1311	21	2794
650/22 sections	650	120	1372	22	2927
650/23 sections	650	120	1433	23	3060
650/24 sections	650	120	1494	24	3193
650/25 sections	650	120	1555	25	3326
650/26 sections	650	120	1616	26	3459
650/27 sections	650	120	1677	27	3592
650/28 sections	650	120	1738	28	3725
650/29 sections	650	120	1799	29	3858
650/30 sections	650	120	1860	30	3991

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



CODE	Height (mm)	Depth (mm)	Width (mm)	Sections (no)	Power (watts)
760/3 sections	760	120	213	3	450
760/4 sections	760	120	274	4	600
760/5 sections	760	120	335	5	750
760/6 sections	760	120	396	6	900
760/7 sections	760	120	457	7	1050
760/8 sections	760	120	518	8	1200
760/9 sections	760	120	579	9	1351
760/10 sections	760	120	640	10	1501
760/11 sections	760	120	701	11	1651
760/12 sections	760	120	762	12	1803
760/13 sections	760	120	823	13	1951
760/14 sections	760	120	884	14	2101
760/15 sections	760	120	945	15	2251
760/16 sections	760	120	1006	16	2401
760/17 sections	760	120	1067	17	2551
760/18 sections	760	120	1128	18	2701
760/19 sections	760	120	1189	19	2851
760/20 sections	760	120	1250	20	3001
760/21 sections	760	120	1311	21	3151
760/22 sections	760	120	1372	22	3301
760/23 sections	760	120	1433	23	3451
760/24 sections	760	120	1494	24	3601
760/25 sections	760	120	1555	25	3751
760/26 sections	760	120	1616	26	3901
760/27 sections	760	120	1677	27	4051
760/28 sections	760	120	1738	28	4201
760/29 sections	760	120	1799	29	4351
760/30 sections	760	120	1860	30	4501

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687