


3.Column Victorian Cast Iron Radiators

Model		Vic 3 / 450	Vic 3 / 650	Vic 3 / 760
Height	H1 With Foot	450	650	760
	H2 Without Foot	390	590	700
Centres	C1 Vertical centres	300	500	600
	C2 Floor to tapping	105	105	105
	C3 Wall to tapping	92/102	92/102	92/102
Section width	W mm	61	61	61
Depth	D2 With Foot	120	120	120
	D1 Without Foot	120	120	120
Overall projection	With Foot	152/162	152/162	152/162
	Without Foot	152/162	152/162	152/162
Water Volume per Section	litre	1.2	1.6	2
Dry Weight per Section*	kg	3.1	4.3	5.2
Output @ Δt 50	Watts	73	105	118
BS EN442 per sect.	Btu/hr	248	358	404
Output @ Δt 55.5	Watts	82	119	134
BS EN442 per sect.	Btu/hr	280	405	457
Output @ Δt 60	Watts	92	133	150
BS EN442 per sect.	Btu/hr	314	454	512
Maximum Factory Assembled Lengths		30	30	30


*add 0.500kg per foot section



[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687




CODE	Height (mm)	Depth (mm)	Width (mm)	Sections (no)	Power (watts)
450/3 sections	450	120	213	3	276
450/4 sections	450	120	274	4	368
450/5 sections	450	120	335	5	460
450/6 sections	450	120	396	6	552
450/7 sections	450	120	457	7	644
450/8 sections	450	120	518	8	736
450/9 sections	450	120	579	9	828
450/10 sections	450	120	640	10	923
450/11 sections	450	120	701	11	1015
450/12 sections	450	120	762	12	1108
450/13 sections	450	120	823	13	1199
450/14 sections	450	120	884	14	1291
450/15 sections	450	120	945	15	1383
450/16 sections	450	120	1006	16	1477
450/17 sections	450	120	1067	17	1569
450/18 sections	450	120	1128	18	1661
450/19 sections	450	120	1189	19	1753
450/20 sections	450	120	1250	20	1845
450/21 sections	450	120	1311	21	1937
450/22 sections	450	120	1372	22	2029
450/23 sections	450	120	1433	23	2121
450/24 sections	450	120	1494	24	2213
450/25 sections	450	120	1555	25	2305
450/26 sections	450	120	1616	26	2397
450/27 sections	450	120	1677	27	2489
450/28 sections	450	120	1738	28	2581
450/29 sections	450	120	1799	29	2673
450/30 sections	450	120	1860	30	2765

CODE	Height (mm)	Depth (mm)	Width (mm)	Sections (no)	Power (watts)
650/3 sections	650	120	213	3	399
650/4 sections	650	120	274	4	532
650/5 sections	650	120	335	5	665
650/6 sections	650	120	396	6	798
650/7 sections	650	120	457	7	931
650/8 sections	650	120	518	8	1064
650/9 sections	650	120	579	9	1198
650/10 sections	650	120	640	10	1331
650/11 sections	650	120	701	11	1464
650/12 sections	650	120	762	12	1597
650/13 sections	650	120	823	13	1730
650/14 sections	650	120	884	14	1863
650/15 sections	650	120	945	15	1996
650/16 sections	650	120	1006	16	2129
650/17 sections	650	120	1067	17	2262
650/18 sections	650	120	1128	18	2395
650/19 sections	650	120	1189	19	2528
650/20 sections	650	120	1250	20	2661
650/21 sections	650	120	1311	21	2794
650/22 sections	650	120	1372	22	2927
650/23 sections	650	120	1433	23	3060
650/24 sections	650	120	1494	24	3193
650/25 sections	650	120	1555	25	3326
650/26 sections	650	120	1616	26	3459
650/27 sections	650	120	1677	27	3592
650/28 sections	650	120	1738	28	3725
650/29 sections	650	120	1799	29	3858
650/30 sections	650	120	1860	30	3991

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687



CODE	Height (mm)	Depth (mm)	Width (mm)	Sections (no)	Power (watts)
760/3 sections	760	120	213	3	450
760/4 sections	760	120	274	4	600
760/5 sections	760	120	335	5	750
760/6 sections	760	120	396	6	900
760/7 sections	760	120	457	7	1050
760/8 sections	760	120	518	8	1200
760/9 sections	760	120	579	9	1351
760/10 sections	760	120	640	10	1501
760/11 sections	760	120	701	11	1651
760/12 sections	760	120	762	12	1803
760/13 sections	760	120	823	13	1951
760/14 sections	760	120	884	14	2101
760/15 sections	760	120	945	15	2251
760/16 sections	760	120	1006	16	2401
760/17 sections	760	120	1067	17	2551
760/18 sections	760	120	1128	18	2701
760/19 sections	760	120	1189	19	2851
760/20 sections	760	120	1250	20	3001
760/21 sections	760	120	1311	21	3151
760/22 sections	760	120	1372	22	3301
760/23 sections	760	120	1433	23	3451
760/24 sections	760	120	1494	24	3601
760/25 sections	760	120	1555	25	3751
760/26 sections	760	120	1616	26	3901
760/27 sections	760	120	1677	27	4051
760/28 sections	760	120	1738	28	4201
760/29 sections	760	120	1799	29	4351
760/30 sections	760	120	1860	30	4501

[Outputs: 90/70/20 Δt 60°C EN442]

[Dimensions in millimetres]

Radiator Centre Ltd : 2 Grand Parade, Polegate, East Sussex, BN26 5HG
www.radiatorcentre.com : info@radiatorcentre.com : Tel 01323 486848 : Fax 01323 486687